

Neurotoxin (Botox/Dysport) Post Procedure Instructions

- Do not massage or apply pressure on the treated area for 6-8hrs after treatment since Botox/Dsyport may migrate to areas of undesirable effectiveness.
- Do not lie down for 6 hours after treatment.
- Try to keep your head upright for at least 6 hrs after injection.
- Avoid yoga or other rigorous exercise activities, extensive sun or heat exposure, and alcoholic beverages for the 1st 24 hours after treatment. This may cause temporary redness, swelling, and/or itching at the sites of the injection.
- Avoid facials and saunas for 24 hours after treatment since this will decrease the chance of your blood pressure rising and thus decrease the chance of minor and temporary bruising.
- Headaches are common. Neurotoxin is even used to treat headaches. However, if you have a headache we recommend you avoid aspirin or aspirin containing products. You may instead use tylenol and/or cool compresses. If headaches continue or worsen, contact your provider.

- Avoid taking advil, vitamin e, ginger, ginko, bilboa, ginseng, and garlic for 2 weeks since this may increase the risk of bruising.
- Note that any bumps or marks will go away within a few hours. If you do develop a bruise it will resolve like other bruises you have had in about a week. There is occasionally some mild pain, swelling, itching, or redness at the site of injection similar to most other injections. Redness may last for 1-2 days, rarely longer. You may apply cold compresses or acetaminophen (tylenol) to reduce swelling or discomfort.
- Results of your treatment may take up to 14 days to take full effect although many people will recognize the benefits in 3-5 days after treatment.
- Botox/Dsyport is a temporary procedure. In most people the benefits of Botox/Dsyport last anywhere from 3-6 months. Sometimes a few wrinkles may start to return in 2-3months. The effectiveness of Botox/Dsyport will last longer with successive treatments.
- Initially, the provider may want to see the patient between 2-4 weeks for a brief "touch-up" and checkup of the procedure. If you allow your neurotoxin to completely wear off, it is difficult for the provider to be able to see how your individual muscles reacted and therefore optimal results for your face can be more difficult to achieve.
- Makeup: it is recommended that you wait 12-24 hours after the treatment before applying make-up.
- Cold compresses may be used 10 minutes on 10 minutes off to reduce swelling 2-3x per day during the 1st 1-2 days if needed.